L Number	Hits	Search Text	DB	Time stamp
•	8	stor\$3 same ((plot near2 (object or data)) and ((print\$2 adj2 language) or PCL or PDL or PJL))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 10:48
	. 1	(((print\$2 adj2 language) or PCL or PDL or PJL) near5 (setting near2 data)) with tim\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 16:46
-	1	2001-151559.NRAN.	DERWENT	2003/11/13 16:46
_`	2	stor\$3 with ((plot near2 (object or data)) and ((print\$2 adj2 language) or PCL or PDL or PJL))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 16:47
-	2	("4974171"   "6005680").PN.	USPAT	2003/11/13 16:48
•	1	stor\$3 same ((plot near2 (object or data)) near8 ((print\$2 adj2 language) or PCL or PDL or PJL))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 16:49
-	1592	((print\$2 adj language) or PCL or PJL or PDL) same ((plot adj object) or circle or rectangle or dot or line)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 17:57
-	395	(((print\$2 adj language) or PCL or PJL or PDL) same ((plot adj object) or circle or rectangle or dot or line)) and 358/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/18 14:04
	162	(stor\$4 with ((plot adj object) or circle or rectangle or dot or line)) same ((print\$2 adj language) or PCL or PJL or PDL)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/18 16:23
-	61	((stor\$4 with ((plot adj object) or circle or rectangle or dot or line)) same ((print\$2 adj language) or PCL or PJL or PDL)) and 358/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/18 14:08
-	6	("4949188"   "4979132"   "5309254"   "5321532"   "5465165"   "5671341").PN.	USPAT	2003/11/18 14:31
.	10	("5226112"   "5307452"   "5438653"   "5542052"   "5600768"   "5608848"   "5638498"   "5659638"   "5668931"   "5671345").PN.	USPAT	2003/11/18 14:40

		· · · · · · · · · · · · · · · · · · ·	1	r
-	28	((stor\$4 with ((plot adj object) or circle or	USPAT;	2003/11/19
	ļ	rectangle or dot or line)) same ((print\$2 adj	US-PGPUB;	13:31
		language) or PCL or PJL or PDL)) and	EPO; JPO;	
		(print\$2 adj driver)	DERWENT;	
:			IBM_TDB	
-	19	(print\$2 adj driver) same (prevent\$3 near6	USPAT;	2003/11/18
		error)	US-PGPUB;	16:35
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	((stor\$4 with ((plot adj object) or circle or	USPAT;	2003/11/19
		rectangle or dot or line)) same (control	US-PGPUB;	13:41
		near2 language)) and (print\$2 adj driver)	EPO; JPO;	
		and any and any and any	DERWENT;	
			IBM_TDB	
_	34	(((plot adj object) or circle or rectangle or	USPAT;	2003/11/19
· .		dot or line) same (control near2 language))	US-PGPUB;	13:54
		and (print\$2 adj driver)	EPO; JPO;	10104
		and (bunitat and aniae)	DERWENT;	
	]		IBM_TDB	
	40	//wlat adl ablant) as similar or rentamele on	_	2002/42/45
-	18	(((plot adj object) or circle or rectangle or	USPAT;	2003/12/15
		dot or line) with (control near2 language))	US-PGPUB;	08:20
		and (print\$2 adj driver)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	101	(((plot adj object) or circle or rectangle or	USPAT;	2004/05/26
		dot or line) with (control near2 (language or	US-PGPUB;	16:02
		element or command))) and (print\$2 adj	EPO; JPO;	
		driver)	DERWENT;	
			IBM_TDB	
-	449	((determin\$3 or analyz\$3 or judg\$3) with	USPAT;	2004/05/26
		((print\$2 near4 (language or data)) and	US-PGPUB;	16:05
		(control near4 (language or command))))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
<b>-</b>	432	(((determin\$3 or analyz\$3 or judg\$3) with	USPAT;	2004/05/26
		((print\$2 near4 (language or data)) and	US-PGPUB;	16:05
		(control near4 (language or command)))))	EPO; JPO;	•
		and printer	DERWENT;	
			IBM_TDB	
-	244	(((determin\$3 or analyz\$3 or Judg\$3) with	USPAT;	2004/05/26
		((print\$2 near4 (language or data)) and	US-PGPUB;	16:05
		(control near4 (language or command)))))	EPO; JPO;	
		and 358/\$.ccls.	DERWENT;	
			IBM_TDB	
	o	((determin\$3 or analyz\$3 or judg\$3) with	USPAT;	2004/05/26
	[	((print\$2 near4 (language or data)) and	US-PGPUB;	16:06
		(control near4 (language or command)))	EPO; JPO;	
	<u> </u>	with (plot adj4 object))	DERWENT;	·
		· · · · · · · · · · · · · · · · · · ·	IBM_TDB	
L	L	<u> </u>	15111_156	

				0004/05/05
-	0.	((determin\$3 or analyz\$3 or judg\$3) with	USPAT;	2004/05/26
		((print\$2 near4 (language or data)) and	US-PGPUB;	16:06
		(control near4 (language or command)))	EPO; JPO;	
		same (plot adj4 object))	DERWENT;	
			IBM_TDB	200 4/25/25
<b>-</b>	0	((determin\$3 or analyz\$3 or judg\$3) with	USPAT;	2004/05/26
		((print\$2 near4 (language or data)) and	US-PGPUB;	16:06
		(control near4 (language or command))))	EPO; JPO;	
		same (plot adj4 object)	DERWENT;	
			IBM_TDB	
-	32	((determin\$3 or analyz\$3 or Judg\$3) with	USPAT;	2004/05/26
		((print\$2 near4 (language or data)) and	US-PGPUB;	16:29
		(control near4 (language or command))))	EPO; JPO;	
•		same (text or circle or graphic\$1)	DERWENT;	
			IBM_TDB	
-	458	((determin\$3 or analyz\$3 or judg\$3 or	USPAT;	2004/05/26
		distinguish\$3) with ((print\$2 near4	US-PGPUB;	16:29
		(language or data)) and (control near4	EPO; JPO;	
		(language or command))))	DERWENT;	
			IBM_TDB	
-	421	plot adj4 object	USPAT;	2004/05/26
			US-PGPUB;	16:30
			EPO; JPO;	
		•	DERWENT;	
			IBM_TDB	
<b>-</b>	2	(((determin\$3 or analyz\$3 or judg\$3 or	USPAT;	2004/05/26
		distinguish\$3) with ((print\$2 near4	US-PGPUB;	16:31
		(language or data)) and (control near4	EPO; JPO;	
		(language or command))))) and (plot adj4	DERWENT;	
	6435162		IBM_TDB	2004/05/26
•	0435162	((plot adj4 object) or (text or dot or line or	USPAT;	2004/05/26
		rectangle or circle))	US-PGPUB; EPO; JPO;	16:31
			DERWENT;	
			IBM_TDB	
	230	((((determin\$3 or analyz\$3 or judg\$3 or	USPAT;	2004/05/26
	230	distinguish\$3) with ((print\$2 near4	US-PGPUB;	16:31
		(language or data)) and (control near4	EPO; JPO;	10.31
		(language or data)) and (control near4 (language or command))))) and (((plot adj4	DERWENT;	
		object) or (text or dot or line or rectangle or	IBM_TDB	
		circle)))) and 358/\$.ccls.	10111_108	
	8	("5506946"   "5508718"   "5546528"	USPAT	2004/05/26
		"5717838"   "5739809"   "5751286"	30171	16:50
		"5915075"   "5949427").PN.		
.	348	((transmit\$4 or send\$3 or communicat\$3 or	USPAT;	2004/05/28
		transmiss\$3) near10 (PCL or PDL or PJL or	US-PGPUB;	10:51
		(print\$3 near3 language)) near10 (host or	EPO; JPO;	
		PC or computer or workstation)) and tim\$3	DERWENT;	
		semparer or memoration // and tilles	IBM_TDB	ļ
			10111_100	

•	212	(((transmit\$4 or send\$3 or communicat\$3 or	USPAT;	2004/05/28
		transmiss\$3) near10 (PCL or PDL or PJL or	US-PGPUB;	12:11
1		(print\$3 near3 language)) near10 (host or	EPO; JPO;	
		PC or computer or workstation)) and tim\$3)	DERWENT;	
		and 358/\$.ccis.	IBM_TDB	
-	843	(transmit\$4 or send\$3 or communicat\$3 or	USPAT;	2004/05/28
		transmiss\$3) near10 ((print\$3 near3 driver)	US-PGPUB;	11:56
		or (print\$3 near3 language)) near10 (host or	EPO; JPO;	
		PC or computer or workstation)	DERWENT;	
			IBM_TDB	
-	507	(transmit\$4 or send\$3 or communicat\$3 or	USPAT;	2004/05/28
		transmiss\$3) near10 (((print\$3 near3 driver)	US-PGPUB;	11:57
		or (print\$3 near3 language)) adj10 (host or	EPO; JPO;	
		PC or computer or workstation))	DERWENT;	
			IBM_TDB	
-	222	((transmit\$4 or send\$3 or communicat\$3 or	USPAT;	2004/05/28
		transmiss\$3) near10 (((print\$3 near3 driver)	US-PGPUB;	11:57
		or (print\$3 near3 language)) adj10 (host or	EPO; JPO;	
		PC or computer or workstation))) and	DERWENT;	
		358/\$.ccls.	IBM_TDB	
-	399	((transmit\$4 or send\$3 or communicat\$3 or	USPAT;	2004/05/28
		transmiss\$3) near10 (((print\$3 near3 driver)	US-PGPUB;	11:58
		or (print\$3 near3 language)) adj10 (host or	EPO; JPO;	
		PC or computer or workstation))) and tim\$3	DERWENT;	
			IBM_TDB	
•	208	(((transmit\$4 or send\$3 or communicat\$3 or	USPAT;	2004/05/28
		transmiss\$3) near10 (((print\$3 near3 driver)	US-PGPUB;	12:05
		or (print\$3 near3 language)) adj10 (host or	EPO; JPO;	·
		PC or computer or workstation))) and	DERWENT;	
		tim\$3) and 358/\$.ccls.	IBM_TDB	
-	111	(((transmit\$4 or send\$3 or communicat\$3 or	USPAT;	2004/05/28
		transmiss\$3) near10 (((print\$3 near3 driver)	US-PGPUB;	15:18
		or (print\$3 near3 language)) adj10 (host or	EPO; JPO;	
		PC or computer or workstation))) and	DERWENT;	
]		tim\$3) and 358/1.15.ccls.	IBM_TDB	
-	4	("5031115"   "5075875"   "5228118"	USPAT	2004/05/28
		"5353388").PN.		12:11
•	47	(((transmit\$4 or send\$3 or communicat\$3 or	USPAT;	2004/06/01
		transmiss\$3) near10 (((print\$3 near3 driver)	US-PGPUB;	10:21
		or (print\$3 near3 language)) adj10 (host or	EPO; JPO;	
		PC or computer or workstation))) and tim\$3	DERWENT;	
	}	and error\$1) and 358/1.15.ccls.	IBM_TDB	
-	268	(convert\$3 or convers\$3) with ((printer adj	USPAT;	2004/06/01
	<b> </b>	language) or PCL or PJL or PDL) with	US-PGPUB;	10:28
		format	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	51	((convert\$3 or convers\$3) with ((printer adj	USPAT;	2004/06/01
		language) or PCL or PJL or PDL) with	US-PGPUB;	10:23
		format) and (error near6 (information or	EPO; JPO;	
		message or alert))	DERWENT;	
	<u> </u>		IBM_TDB	

		I	T	r <del> </del>
-	807	(convert\$3 or convers\$3) with ((printer adj	USPAT;	2004/06/01
		language) or PCL or PJL or PDL or PS) with	US-PGPUB;	10:28
		format	EPO; JPO;	
			DERWENT;	
	]	·	IBM_TDB	
-	424	(transmit\$4 or send\$3 or communicat\$3 or	USPAT;	2004/06/01
		transmiss\$3) near10 (PCL or PDL or PJL or	US-PGPUB;	10:29
		(print\$3 near3 language)) near10 (host or	EPO; JPO;	
		PC or computer or workstation)	DERWENT;	
			IBM_TDB	
-	65	((convert\$3 or convers\$3) with ((printer adj	USPAT;	2004/06/01
		language) or PCL or PJL or PDL or PS) with	US-PGPUB;	10:29
		format) and ((transmit\$4 or send\$3 or	EPO; JPO;	•
		communicat\$3 or transmiss\$3) near10 (PCL	DERWENT;	
		or PDL or PJL or (print\$3 near3 language))	IBM_TDB	
		near10 (host or PC or computer or		
		workstation))		
	366	(((determin\$3 or analyz\$3 or judg\$3 or	USPAT;	2004/06/01
	]	distinguish\$3) with ((print\$2 near4	US-PGPUB;	10:34
	[	(language or data)) and (control near4	EPO; JPO;	
	[	(language or command))))) and (((plot adj4	DERWENT;	
		object) or (text or dot or line or rectangle or	IBM_TDB	
		circle)))		
-	14	((convert\$3 or convers\$3) with ((printer adj	USPAT;	2004/06/01
		language) or PCL or PJL or PDL or PS) with	US-PGPUB;	10:34
		format) and ((((determin\$3 or analyz\$3 or	EPO; JPO;	
	]	judg\$3 or distinguish\$3) with ((print\$2	DERWENT;	
		near4 (language or data)) and (control	IBM_TDB	
		near4 (language or command))))) and (((plot	_	
		adj4 object) or (text or dot or line or		
		rectangle or circle))))		
•	16·	((convert\$3 or convers\$3) with ((printer adj	USPAT;	2004/06/02
		language) or PCL or PJL or PDL or PS) with	US-PGPUB;	13:35
		format) and ((((determin\$3 or analyz\$3 or	EPO; JPO;	
		judg\$3 or distinguish\$3) with ((print\$2	DERWENT;	
		near4 (language or data)) and (control	IBM_TDB	
		near4 (language or command))))))		
•	2	("5838883"   "6035103"   "2001/0012116"	USPAT	2004/06/01
	-	"2001/0012400").PN.		10:35
_	o	6687019.URPN.	USPAT	2004/06/01
				10:35
	97	((convert\$3 or convers\$3) with (print\$2 adj2	USPAT;	2004/06/02
		(data or job))) with (PS or PCL or PJL)	US-PGPUB;	14:30
•		(	EPO; JPO;	
			DERWENT;	
			IBM_TDB	i
•	460	(((determin\$3 or analyz\$3 or judg\$3 or	USPAT;	2004/06/02
		distinguish\$3) with ((print\$2 near4	US-PGPUB;	16:12
		(language or data)) and (control near4	EPO; JPO;	13412
		(language or command)))))	DERWENT;	
		frandada of communically)	IBM_TDB	
			IOM_IVB	

	3	(((convert\$3 or convers\$3) with (print\$2	USPAT;	2004/06/02
•		adj2 (data or job))) with (PS or PCL or PJL))	US-PGPUB;	14:34
		and ((((determin\$3 or analyz\$3 or judg\$3 or	EPO; JPO;	14.04
		distinguish\$3) with ((print\$2 near4	DERWENT;	
		(language or data)) and (control near4	IBM_TDB	•
i		(language or command))))))		
-	19	(determin\$3 or analyz\$3 or judg\$3 or	USPAT;	2004/06/02
		distinguish\$3) with (error near10 (printer\$2	US-PGPUB;	14:47
		near4 (command or language)))	EPO; JPO;	
	1		DERWENT;	
			IBM_TDB	
-	1060	(interpret\$3 with (print\$2 near4 (command	USPAT;	2004/06/02
		or language or PCL or PS or PJL or PDL)))	US-PGPUB;	16:13
			EPO; JPO;	
			DERWENT;	
	·		IBM_TDB	
•	2	((interpret\$3 with (print\$2 near4 (command	USPAT;	2004/06/02
		or language or PCL or PS or PJL or PDL))))	US-PGPUB;	16:13
		and ((determin\$3 or analyz\$3 or judg\$3 or	EPO; JPO;	
		distinguish\$3) with (error near10 (printer\$2	DERWENT;	
		near4 (command or language))))	IBM_TDB	
-	95	((interpret\$3 with (print\$2 near4 (command	USPAT;	2004/06/02
		or language or PCL or PS or PJL or PDL))))	US-PGPUB;	16:15
	]	and ((((determin\$3 or analyz\$3 or judg\$3 or	EPO; JPO;	
		distinguish\$3) with ((print\$2 near4	DERWENT;	
		(language or data)) and (control near4	IBM_TDB	
	51	(language or command)))))	HCDAT.	2004/06/02
<b>-</b>	31	(((interpret\$3 with (print\$2 near4 (command or language or PCL or PS or PJL or PDL))))	USPAT; US-PGPUB;	2004/06/02 16:29
•		and ((((determin\$3 or analyz\$3 or judg\$3 or	EPO; JPO;	10:25
		distinguish\$3) with ((print\$2 near4	DERWENT;	
	:	(language or data)) and (control near4	IBM_TDB	
		(language or command))))))) and error	15155	
<b>-</b>	1635	(light near2 emit\$4 near2 chip) and	USPAT;	2004/06/02
		electrode	US-PGPUB;	16:30
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
•	93522	"16" and scanner	USPAT;	2004/06/02
			US-PGPUB;	16:30
		·	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
•	58	((light near2 emit\$4 near2 chip) and	USPAT;	2004/06/02
		electrode) and scanner	US-PGPUB;	16:37
			EPO; JPO;	
			DERWENT;	
	40	//light money amitted	IBM_TDB	0004/00/00
•	40	((light near2 emit\$4 near2 chip) and	USPAT;	2004/06/02
		electrode) and (image near2 forming near2 (apparatus or device))	US-PGPUB;	16:37
		(apparatus or usvice))	EPO; JPO; DERWENT;	
			-	ľ
L	L	<u> </u>	IBM_TDB	

•	1088	(printer and (wiper near2 blade))	USPAT;	2004/06/02
			US-PGPUB;	17:57
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
•	495	(printer and (wiper near2 blade) and cap)	USPAT;	2004/06/02
			US-PGPUB;	18:27
			EPO; JPO;	
	·		DERWENT;	
			IBM_TDB	
-	2119	printer and transcription	USPAT;	2004/06/02
			US-PGPUB;	18:28
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	240	printer near15 transcription	USPAT;	2004/06/02
			US-PGPUB;	18:28
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	102	printer near15 transcription	USPAT;	2004/06/02
			US-PGPUB	18:29
-	1	((print\$2 near4 server) same transcription)	USPAT;	2004/06/02
			US-PGPUB	18:30
-	181695	printer sametranscription	USPAT;	2004/06/02
			US-PGPUB	18:30
-	209	printer same transcription	USPAT;	2004/06/02
			US-PGPUB	18:30
-	395	printer same transcription	USPAT;	2004/06/02
			US-PGPUB;	18:35
			EPO; JPO;	
			DERWENT;	
		_	IBM_TDB	
·	907	printer same multimedia	USPAT;	2004/06/02
			US-PGPUB;	18:33
	]		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
•	1	(transcription with (print\$2 near4 server))	USPAT;	2004/06/02
			US-PGPUB;	18:34
	]		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	8	(multimedia with (print\$2 near4 server))	USPAT;	2004/06/02
			US-PGPUB;	18:34
	1		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
•	17	printer same (transcribe\$1 near9 text)	USPAT;	2004/06/02
			US-PGPUB;	18:36
	]		EPO; JPO;	
			DERWENT;	
	<u> </u>		IBM_TDB	

	101	printer and (transcribe\$1 near9 text)	USPAT;	2004/06/02
	- 7 -		US-PGPUB;	18:38
:			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	49	printer and (transcribe\$1 near9 text) and	USPAT;	2004/06/02
		server	US-PGPUB;	18:40
1	1		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	147	(facsimile or fax) and (transcribe\$1 near9	USPAT;	2004/06/02
		text)	US-PGPUB;	
		,	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	6160	(facsimile or fax) and multimedia	USPAT;	2004/06/02
		· · · · · · · · · · · · · · · · · · ·	US-PGPUB;	18:45
	:		EPO; JPO;	
		•	DERWENT;	,
		·	IBM_TDB	
-	3433	(facsimile or fax) and (multimedia and video	USPAT;	2004/06/02
	1	and audio)	US-PGPUB;	18:51
		· ·	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
•	2058	(printing) and (multimedia and video and	USPAT;	2004/06/02
	:	audio)	US-PGPUB;	19:06
			EPO; JPO;	
			DERWENT;	
· ·			IBM_TDB	